

Alfred Schütze Apparatebau GmbH Zeppelinstraße 2, 28844 Weyhe-Dreye Phone: Fax: 0049 (0) 421 / 4 35 10 - 0 0049 (0) 421 / 4 35 10 - 43 www.schuetze-gmbh.de info@schuetze-gmbh.de

Material pressure tanks V2 / V5 / V10





When spraying material continuously in considerable volume, the employment of a material pressure tank pays off within a short period of time. In standard version the material pressure tanks V2, V5 and V10 are made from stainless steel.

Advantages compared with spraying by cup guns:

- less interruptions for refilling flow cups
- clean working area
- better handling of spraygun
- pressure feed results in more fluid output per unit of time
- constant flow of fluid improves quality of lay on
- reduced fluid mist by less air friction with fluid particles
- internal mix nozzles in sprayguns for special effect paints also for reduced mist effects
- several sprayguns can be fed simultaneously (optional)

Material pressure tanks V2, V5 and V10 are equipped with:

- lid locked by 5 cross grips
- air stirrer motor (optional)
- filler cap
- safety valve (type approved)
- pressure reducer for atomizing air
- pressure reducer for fluid
- nipple for quick coupler (air inlet)
- cock for fluid outlet
- cock for atomizing air outlet

Technical data:

Modell	Volume Itr.	Operating Pressure (max) bar	Test Pressure bar	Inner Diameter mm	Height (approx.) mm
V 2	2	6	7,8	125	300
V 5	5	6	7,8	214	330
V 10	10	6	7,8	214	460

Special designs on request. Technical alterations reserved.

For further information please contact us.

Alfred Schütze Apparatebau GmbH Zeppelinstraße 2, 28844 Weyhe-Dreye Phone: Fax:

0049 (0) 421 / 4 35 10 - 0 0049 (0) 421 / 4 35 10 - 43 www.schuetze-gmbh.de info@schuetze-gmbh.de